

Alkenz Fabrics

Style SUNSHADOW 4700 Q Series □ Openness Factor <Than 1%

- Composition** 20% Polyester, 80% PVC
- Openness Factor** Less than 1%
- Weight** 633 g/sqm +5%.
- Thickness** 0.039"
- Standard Width** 98.4"
- Standard Length** 33 yd/roll
- Tensile Strength** Warp 306 / Weft 90 daN/5cm
- Tearing Strength** Warp 11.1 / Weft 6.0 daN
- Color Fastness** Grade 8
- Fabric Count** 50 ends x 16 picks/ sq inch
- Fire Classification** M1, B1, B2
NFPA 701-99, CA US Title 19

Fenestration Properties – Alkenz 4700 Q Series (approximate)

Description	Ts	Rs	As	Tv	S/C (International)		
					1/8" CL	1/4" CL	1/4" HA
Q001 White/Cream/Alabaster Beige	11	65	24	5	0.27	0.27	0.29
Q002 White/Cream/Thistle Gray	13	59	28	7	0.37	0.37	0.34
Q006 Mushroom/Light Gray/Charcoal	1	21	78	1	0.68	0.60	0.46
Q007 Dark Gray/Graphite/Ebony	1	8	91	0	0.73	0.67	0.54

Environment Friendly



Flammability



M1
B1
B2
NFPA 701

Anti Bacteria



ASTM G21
ASTM G22

The solar optical properties are used to calculate the shading coefficient. The shading coefficient represents the percentage of solar heat gain that is transmitted to the interior through the glass and shading system. Darker colors provide maximum glare reduction and visibility.

Style SUNSHADOW 4700 Q Series
Specification Data Sheet

CACO, Inc., Window Fashions

119 Perma R Road • Johnson City, TN 37604

(800) 552-5278 • Fax (866) 926-5836

Web: www.cacoinc.com • Email: customerservice@cacoinc.com