

Alkenz Fabrics

Style SUNSHADOW VIEW SS Series □ Openness Factor 3%

•Composition	25% Polyester, 75% PVC	•Tensile Strength	Warp 197 / Weft 167 daN/5cm
•Openness Factor	Average 3%	•Tearing Strength	Warp 7.4 / Weft 7.0 daN
•Weight	445 g/sqm + 5%	•Color Fastness	Grade 8
•Thickness	0.022" (0.57mm) + 5%	•Fabric Count	54 ends x 46 picks/ sq inch
•Standard Width	98.4"	•Fire Classification	M1, B1, B2
•Standard Length	33 yd/roll		NFPA 701-99, CA US Title 19

Fenestration Properties – Alkenz VIEW SS Series (approximate)

Description	Ts	Rs	As	Tv	S/C (International)		
					1/8" CL	1/4" CL	1/4" HA
SS01 White/Beige	16	59	25	9	0.39	0.38	0.34
SS03 White/Gray	14	54	32	7	0.42	0.42	0.37

Environment Friendly



Flammability



M1  
B1  
B2  
NFPA 701

Anti Bacteria



ASTM G21  
ASTM G22

The solar optical properties are used to calculate the shading coefficient. The shading coefficient represents the percentage of solar heat gain that is transmitted to the interior through the glass and shading system. Darker colors provide maximum glare reduction and visibility.

Style SUNSHADOW VIEW SS Series  
Specification Data Sheet

CACO, Inc., Window Fashions

119 Perma R Road • Johnson City, TN 37604

(800) 552-5278 • Fax (866) 926-5836

Web: [www.cacoinc.com](http://www.cacoinc.com) • Email: [customerservice@cacoinc.com](mailto:customerservice@cacoinc.com)