



CACO, INC.
WINDOW FASHIONS

Version 3
4/7/2025

Retail Price Guide 2025

Serenity Roller Shades

Table of Contents

Customer Service Policies	1-2
Serenity Roller Shades	
Features, Options, Care & Operating Instructions	3
Pricing	4-7
Motorization	8-9
Warranty	10

⚠ WARNING

⚠ ADVERTENCIA



Window Blind Cord Strangulation Risk

A damaged, loose, or missing tension device poses a strangulation risk to children. Remove from use and repair or replace if tension device is damaged, loose, or missing.

Riesgo de estrangulamiento por cordón de persiana

Un dispositivo de tensión dañado, suelto o faltante presenta un riesgo de estrangulamiento para niños. Retira y repare o reemplaza si el dispositivo de tensión está dañado, suelto o falta.

08/2023 ANEV/NCMA 5.1.1

How to place an order

For your convenience, CACO provides you with the option of placing orders by either telephone, email, online or fax (if placed by fax, CACO will provide order forms at no additional cost; customers must request forms). Orders placed after 3:00 pm EST will be forwarded to the next business day.

Telephone orders

CACO Customer Service Representatives are available between the hours of 8:30 am and 5:00 pm Eastern Standard time at **1-800-552-5278**. Any order placed by phone requires a signed order confirmation returned to customer service by fax or email before proceeding with order. Keep in mind, when phoning in your order, it is important to have the following information available:

- Account number (if known)
- Individuals name that is calling
- P.O. number and/or side mark
- Color or colors
- Type of product ordered
- Measurements (width-first, length-second)
- Inside or outside mount (i.m./i.b or o.m./o.b)
- Control instructions
- Ship to address if different than sold-to
- Special instructions for shipping
- Valance instructions
- Any other special instructions
- Quote number, if order is placed from a previous quote

Fax and Email Orders

Fax orders can be placed any time of day or night including holidays at **1-866-926-5836** or email to **customerservice@cacoinc.com**. To ensure order accuracy for faxed orders, it is advisable to use the order forms CACO supplies or a comparable form. It is important to note the number of pages of your order, including the cover sheet to ensure that no pages will be missing. For fax or email orders please include all of the same information required for telephone orders. Any omission of pertinent information will only delay your orders manufacturing time.

Online Orders

Orders can be placed online at <https://88043.picbusiness.com/>. If you your account has not been set up to access our online portal, please contact support@cacoinc.com to sign up. This access allows you to quote, order as well as make payments online. Please note shutters are not available online to quote or place as orders, you will need to contact customer service to for information about these products. Additionally, orders are released from internet hold and reviewed for credit at the daily 2:30 PM EST cutoff. Any orders submitted online after this time will be reviewed the following business day.

How to expedite an order

We can often provide a faster ship date with expedited shipping for emergency situations, only if this is noted at the time the order is placed. Requested next day and second day shipping will move freight prepaid and will be added to your account at the time of invoicing.

How to add on or make changes to an order

In the event that you wish to add to your original order, it is possible, as long as the order is still in production. You will be required to submit changes in writing and must be signed by a person of authority indicating the items you wish to add or change. No verbal requests can be made. You will need to refer to the original P.O. number and indicate clearly the additions or changes you're requesting. Note: because add-ons may affect production time, check with customer service for any possible delays.

How to cancel an order

Cancellations or changes require an immediate response and can only take place up until the start of fabrication. You must first identify your P.O. number or side mark and then state the cancellation or change. Cancellations must be faxed or emailed in writing only, phone calls are not permitted. If an order has already been cut, a minimum charge of 50% will apply.

Should you order for the same room at different times?

This is a frequently asked question and should be addressed and explained at the point of sale. Under normal circumstances blinds, shades and verticals should be ordered for the same room at one time to prevent color deviations, as a result of dye and paint color variations from original lot to the other. If additional blinds, shades or verticals are ordered at a later time for the same room there can be a distinct color difference from the existing product to the new product. Also, window coverings that have been previously installed can have shade differentiations from newer products due to the progress of aging.

Questions concerning an order

Once you contact customer service you must have your P.O. number and/or side mark available.

Shipping and Handling Charges

- **Minimum order Fee:** \$20 shipping and handling fee will be added to any order with 2 units or less.
- **Per Unit Fee:** \$9 per unit shipping and handling fee will be added for all delivery orders with more than 2 units in lieu of the minimum order charge.
- **>90" Oversized Fee:** Any order with a product over 90" width (including oversized items such as valances that are not ordered spliced) will have an oversized fee of \$90 per unit up to \$180 maximum fee in addition to any minimum or per unit shipping and handling fees.
- **>104" Extended Oversized Fee:** Any order with a product over 104" (including oversized items such as valances that are not ordered spliced) will ship by LTL carrier and will incur an additional \$120 extended oversized fee per order in addition to any applicable minimum order, per unit and oversized handling fees.
- Accessorial LTL Truck delivery charges such as liftgate, inside delivery, re-consignment, re-delivery, etc. will be the responsibility of the receiving party.

Credit and additional charges

Open accounts are established by submitting a CACO credit application. You will be required to list trade and bank references as well as a current sales tax id number. C.O.D. accounts are also obligated to submit a credit application. Invoices are due within 30 days of the date posted. After 30 days accounts will be charged 1.5% interest per month. CACO reserves the right not to ship to accounts with past due balances.

Payment Policy

Current payment methods accepted are check, emailed or faxed checks for ACH processing, credit cards (Mastercard, Visa, Discover) and online payments by credit card or bank draft. Due to additional credit card fees, effective March 8th, a 2% processing fee will be added to all credit card payments. This fee can be avoided by either mailing checks to our PO Box or to expedite payments send a copy of your check along with our Check by Fax form by email to customerservice@cacoinc.com or fax to (866) 552-5278. Please note CACO will not automatically charge any credit card or process ACH transaction without a current, on file preauthorization forms, otherwise approval will be required at the time of each transaction.

If you receive product that has been visibly damaged while in transit

Before accepting any shipments, please examine each carton carefully. If shipment shows any signs of mistreatment or damage, i.e., wheel marks, crushed or bent cartons note this on the bill of lading and have the driver sign it and note damage. Should a replacement be necessary, CACO will bill you. Your replacement invoice will enable you to file a claim with the responsible carrier. It is imperative that you count all cartons prior to signing the bill of lading; any shortages must be noted on the bill of lading with the driver's signature.

Shipping discrepancies

If the product received does not agree with your packing slip, contact a CACO customer service representative within 24 hours. Your representative will verify any action needed for a resolution and expedite any necessary replacements.

If you should receive a defective product

Your warranty protects you against defective products (please read your warranty for all information, disclaimers and liabilities). Should you receive a defective product, contact CACO customer service and provide detailed information including your P.O. number. If the product is not sent back for repair, you will be invoiced for a replacement and required to return back the original product to CACO for inspection. Any issue arising past 30 days from receipt of original order will be required to return product for repair.


How to Measure

Inside mount

A. Measure the window opening at three different places and use the narrowest dimension when ordering. Be exact! The factory will make the blind slightly narrower, so it won't rub against the window casing. (See A inside mount).

B. Measure the height of the window from the top (soffit) down to the sill. NOTE: The finished blind length may have a tolerance of based on product.


Based on product, CACO will automatically make a deduction on width for measurements submitted as inside mount.



Outside mount

Measure exact width and height of the area to be covered. It is recommended that blinds overlap the window opening by at least 1 1/2" on each side to insure privacy and control sunlight. (See A outside mount). When installation is designed for "no sill," allow the blind to overlap the bottom of the window casing by at least 1 1/2". Blinds will be made to exact measurements given. NOTE: The finished blind length may have a tolerance of based on product.

CACO will not make any deductions for measurements submitted as outside mount.



Features, Options & Care

Features

- Manual Clutch system operated via #10 stainless steel, plastic or painted steel bead chain.
- Varying diameters of aluminum tube to accommodate most any width.
- 1" aluminum internal hem bar.
- Available in many styles in Textstyle, Mermet decorative fabric and blackout fabrics. Fabric opaqueness varies from translucent to room darkening.
- Textstyle and Mermet solar shading fabrics can still keep the view while blocking harmful UV rays from the sun. Easy to clean.

Options

- 3" or 4" flat
- Rollease Cassette System
 - o Curved: CD120 or CD 110 (fabric insert only)
 - o Square: CD 110 (available unwrapped or wrapped)
- Rollease 5" Fascia Dual Shade System Colors available
- Fabric Wrapped Fascia available for 4" Fascia with skyline clutch only
- Aluminum external bottom bar Colors available
- Motorization 5 volt rechargeable, 12 volt DC or 110 volt AC with multiple control options. See motorized roller shade section

	Options Color Availability				
	White	Alabaster	Aluminum	Bronze	Black
3" Fascia	Y	Y	Y	Y	Y
4" Fascia	Y	Y	Y	Y	Y
Curved CD 100	Y	Y	Y	Y	Y
Square CD 110	Y	Y	Y	Y	Y
Curved CD 120	Y	Y	Y	Y	Y
5" Fascia	Y	N	Y	Y	N
External Bottom Bar	Y	Y	Y	Y	Y

Surcharges

- External Clutch \$12.00 per shade
 - Galaxy Clutch \$22.40 per shade
 - Fabric Wrapped Fascia 25% upcharge on 4" fascia charge
 - Side Channels* \$36.50 per ft (length of shade)
 - Sill Channels* \$15.10 per ft (width of shade)
- Customer discount will be applied to additional charges for Clutches, Side and Sill channels.

* Round up to nearest foot¹


Cordless Options:

Minimum Width	Maximum Width	Maximum Length
12"	84"	96"

CARE AND OPERATION

Make sure brackets are mounted level or shade will roll crooked.

IF YOUR SHADE DOES NOT ROLL STRAIGHT, CORRECT AS FOLLOWS:



Example:

(Fig. A)

(Fig. B)

(Fig. A) - Shade veers toward right. Correct by lowering shade completely and place a piece of paper, indicated by arrow, as close to the roller as possible. It acts as a shim.

(Fig. B) - Shade veers toward left. Correct by lowering shade completely and place a piece of paper, indicated by arrow, as close to the roller as possible. It acts as a shim.

Fabric Style	Type	Width	Railroad	Chart
3000 Privacy	Screen	118"	N	4
3000 Net 1%	Screen	118"	N	4
3000 Net 3%	Screen	118"	N	3
3000 Net 5%	Screen	118"	N	3↑
3000 Net 10%	Screen	118"	N	2
3000 HT 3%	Screen	98"	N	3
3000 HT 5%	Screen	98"	N	3↑
3000 RR	Screen	98"	N	3
4000 Net 3%	Screen	118"	N	3
4000 Net 5%	Screen	118"	N	3↑
Ambient Renew 1%	Screen	118"	N	6
Ambient Renew 5%	Screen	118"	N	5
Balmoral*	Blackout	118"	N	8*
Balmoral*	Light Filtering	118"	N	6*
Broad Lines	Translucent	110"	Y	5
E Screen .5%	Screen	122"	Y	9
E Screen 1%	Screen	122"	Y	8
E Screen 3%	Screen	122"	Y	7
E Screen 5%	Screen	122"	Y	6
E Screen 10%	Screen	122"	Y	6
E Screen Deco 1%	Screen	122"	Y	9
E Screen Deco 3%	Screen	122"	Y	8
E Screen Koolblack 1%	Screen	122"	Y	11
E Screen Koolblack 3%	Screen	122"	Y	11
E Screen Koolblack 5%	Screen	122"	Y	10
Illusion	Translucent	110"	Y	5
Jersey	Blackout	118"	N	7
Jersey	Light Filtering	118"	N	5
Kleen Screen 1%	Screen	118"	N	2
Kleen Screen 3%	Screen	118"	N	1
Kleen Screen 5%	Screen	118"	N	1
Kleen Screen Blackout	Blackout	118"	N	4
Linon	Translucent	110"	Y	6
M Screen 1%	Screen	122"	Y	8
M Screen 3%	Screen	122"	Y	7
M Screen 5%	Screen	122"	Y	6
Mesa	Blackout	118"	N	7
Mesa	Light Filtering	118"	N	5
Pinpointe	Blackout	98"	N	1
S Screen 1%	Screen	122"	N	9
S Screen 4%	Screen	122"	N	9
Sanctuary	Blackout	118"	N	7
Sanctuary	Light Filtering	118"	N	5
Slender Lines	Translucent	110"	Y	5
Slight	Translucent	110"	Y	4
T Screen 1%	Screen	122"	N	9
T Screen 3%	Screen	122"	N	8
T Screen Koolblack 1%	Screen	122"	Y	10
T Screen Koolblack 3%	Screen	122"	Y	10
Tempe	Blackout	118"	N	5
Tusk	Blackout	118"	N	5
Tusk	Light Filtering	118"	N	2

*Add 10% surcharge: Balmoral Armour, Chrome & Platinum

Price Charts – Group 1, Group 2 & Group 3

	25"	31"	37"	43"	49"	55"	61"	67"	73"	79"	85"	97"	108"	120"
3" Fascia	83	92	99	106	115	122	131	138	145	154	163	177	191	208
4" Fascia	82	94	102	113	121	133	143	151	163	172	181	202	221	240
4" Fabric Wrapped Fascia – Skyline only	102	117	126	141	151	166	178	189	202	216	226	251	273	300
CD100 or CD110-(No Fabric Wrap)	86	102	118	135	151	167	182	200	216	232	248	282	316	n/a
CD120 or CD110-(Fabric Wrap)	91	109	126	144	163	179	199	216	234	250	270	306	330	n/a
5" Fascia Dual Shade	154	166	177	188	200	210	222	232	245	256	267	290	n/a	n/a
Cordless	92	92	92	105	105	105	121	121	121	121	121	n/a	n/a	n/a
External Bottomrail	23	26	30	34	40	44	48	52	57	64	67	75	82	92

Group 1		Kleenscreen 3% (118")			Kleenscreen 5% (118")			Pinpointe (98")				(Fabric Width)			
Width to:		25"	31"	37"	43"	49"	55"	61"	67"	73"	79"	85"	97"	108"	120"
Length to:	36"	160	181	199	217	234	250	268	286	303	329	347	381	576	622
	42"	166	188	205	224	243	261	279	298	316	344	363	399	596	643
	48"	170	193	213	232	252	270	290	309	329	357	377	417	616	665
	54"	174	198	219	240	261	280	301	322	343	372	393	435	636	687
	60"	179	203	225	247	269	290	312	333	355	387	408	452	654	708
	66"	183	209	232	255	278	300	323	346	369	400	423	468	674	729
	72"	189	215	239	263	287	309	333	357	381	415	439	486	694	751
	78"	193	220	245	270	296	321	345	370	395	429	454	503	713	772
	84"	197	226	252	278	304	330	355	381	408	443	469	521	731	794
	90"	201	232	258	286	313	341	367	394	421	457	485	539	751	816
	96"	205	238	265	293	322	350	377	406	435	472	499	555	770	837
	108"	215	248	279	308	340	370	399	430	461	500	529	591	810	880
	120"	223	259	292	324	356	390	421	454	487	528	561	625	848	923
	132"	233	270	305	340	374	410	443	478	512	555	591	660	888	966
144"	242	281	319	355	392	429	465	502	539	585	621	695	925	1010	

Group 2		3000 Net 10% (118")			Kleenscreen 1% (118")			Tusk Light Filtering (118")				(Fabric Width)			
Width to:		25"	31"	37"	43"	49"	55"	61"	67"	73"	79"	85"	97"	108"	120"
Length to:	36"	168	190	208	227	246	265	283	302	322	349	369	406	604	652
	42"	173	196	216	237	256	277	297	316	337	367	387	427	627	677
	48"	177	202	223	245	267	288	309	330	352	383	403	446	650	702
	54"	182	209	232	254	277	300	322	345	368	399	422	467	672	727
	60"	189	216	240	264	287	311	334	358	383	416	440	488	695	752
	66"	194	222	247	272	298	323	348	373	398	432	457	507	718	779
	72"	199	228	255	281	307	333	362	388	414	450	476	528	741	804
	78"	203	235	263	290	319	346	373	401	429	466	494	549	763	829
	84"	209	242	270	300	328	357	387	416	444	482	511	569	786	854
	90"	215	248	278	308	340	369	399	429	460	499	529	590	809	879
	96"	220	255	286	318	349	380	413	443	475	516	547	611	832	904
	108"	231	268	302	336	370	403	438	472	505	549	584	651	876	956
	120"	241	280	318	353	391	427	463	500	537	582	618	692	922	1006
	132"	252	293	332	372	411	450	489	528	567	615	654	734	967	1056
144"	262	306	348	390	431	473	515	555	597	649	691	773	1013	1108	

Group 3		3000 Net 3% (118")			3000 Net 5% (118")			3000 HT 3% (98")		3000 HT 5% (98")		(Fabric Width)			
Width to:		25"	31"	37"	43"	49"	55"	61"	67"	73"	79"	85"	97"	108"	120"
Length to:	36"	170	193	212	231	250	270	289	308	328	356	376	415	614	663
	42"	175	199	220	241	262	282	303	324	345	374	395	437	638	691
	48"	180	205	227	250	272	294	316	338	362	392	414	458	662	717
	54"	187	214	237	259	283	306	330	353	376	410	433	479	686	743
	60"	192	220	244	269	294	319	344	369	393	427	452	501	710	770
	66"	197	226	253	279	305	330	356	383	410	444	471	523	735	796
	72"	202	233	261	289	316	344	371	398	425	462	489	545	759	824
	78"	208	241	269	298	327	355	384	413	442	479	508	566	783	850
	84"	215	247	278	307	337	368	398	428	458	497	527	588	807	876
	90"	220	254	286	318	348	379	412	443	474	515	546	610	830	903
	96"	225	262	294	326	358	392	424	457	490	532	565	630	854	931
	108"	237	275	311	346	380	417	452	487	523	568	603	674	901	984
	120"	247	289	327	365	402	441	479	518	554	603	640	717	949	1036
	132"	258	302	344	384	424	465	506	547	588	638	678	760	998	1090
144"	269	316	359	402	446	490	532	576	620	673	716	803	1046	1143	

Any product to the right or below dark line will manufacture with heavy duty clutch and tube. Any product in gray shaded area will require seam (not all fabrics can be seamed, check with customer service). Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details.

Price Charts – Group 4, Group 5 & Group 6

	25"	31"	37"	43"	49"	55"	61"	67"	73"	79"	85"	97"	108"	120"
3" Fascia	83	92	99	106	115	122	131	138	145	154	163	177	191	208
4" Fascia	82	94	102	113	121	133	143	151	163	172	181	202	221	240
4" Fabric Wrapped Fascia – Skyline only	102	117	126	141	151	166	178	189	202	216	226	251	273	300
CD100 or CD110-(No Fabric Wrap)	86	102	118	135	151	167	182	200	216	232	248	282	316	n/a
CD120 or CD110-(Fabric Wrap)	91	109	126	144	163	179	199	216	234	250	270	306	330	n/a
5" Fascia Dual Shade	154	166	177	188	200	210	222	232	245	256	267	290	n/a	n/a
Cordless	92	92	92	105	105	105	121	121	121	121	121	n/a	n/a	n/a
External Bottomrail	23	26	30	34	40	44	48	52	57	64	67	75	82	92

Group 4		3000 Net Privacy (118")			3000 Net 1% (118")			Kleenscreen Blackout (118")			Slight (110")		(Fabric Width)		
Width to:		25"	31"	37"	43"	49"	55"	61"	67"	73"	79"	85"	97"	108"	120"
Length to:	36"	173	196	217	237	256	277	297	318	337	367	388	427	628	678
	42"	178	203	225	246	268	290	312	332	354	386	407	451	653	706
	48"	184	212	234	257	280	303	326	349	372	403	427	474	679	736
	54"	191	218	243	267	291	316	341	366	390	423	447	497	704	764
	60"	197	225	252	277	303	329	354	380	407	442	467	520	729	792
	66"	202	233	261	288	315	343	370	397	424	461	488	543	756	821
	72"	208	241	269	298	326	355	384	413	441	479	507	566	782	849
	78"	215	247	278	307	338	369	398	429	458	498	528	589	808	878
	84"	220	255	287	319	350	381	413	444	476	517	548	612	833	907
	90"	226	263	296	328	362	394	428	461	494	537	569	635	859	936
	96"	232	270	304	340	373	407	442	476	511	554	589	658	884	964
	108"	244	284	322	358	396	433	471	508	546	592	629	703	936	1021
	120"	256	299	340	379	419	460	500	541	580	629	670	749	987	1077
	132"	268	314	356	400	443	486	528	572	615	668	710	796	1038	1135
144"	280	328	374	420	466	512	559	604	650	704	750	843	1090	1191	

Group 5		Ambient Renew 5% (118")			Broad Lines (110")			Illusion (110")			(Fabric Width)				
Width to:		25"	31"	37"	43"	49"	55"	61"	67"	73"	79"	85"	97"	108"	120"
Length to:	36"	181	208	232	255	278	301	324	348	371	402	425	473	673	728
	42"	190	218	243	268	293	319	344	369	393	427	452	502	705	766
	48"	197	227	254	281	308	334	363	389	416	452	478	531	739	803
	54"	204	238	266	294	323	352	380	410	439	476	504	563	772	839
	60"	213	246	277	307	338	369	399	430	461	500	530	592	805	876
	66"	221	256	289	321	353	387	418	451	483	524	556	621	838	914
	72"	228	266	300	333	369	402	437	472	505	549	584	652	872	950
	78"	237	275	311	348	383	420	456	493	528	573	610	681	904	987
	84"	244	284	323	362	398	437	475	512	550	597	636	712	939	1024
	90"	252	294	333	374	414	453	494	532	573	621	662	741	971	1062
	96"	259	304	346	388	429	471	512	553	595	646	687	771	1004	1098
	108"	275	323	368	414	458	504	549	595	640	695	740	830	1071	1172
	120"	290	342	391	440	489	539	588	636	685	743	792	891	1138	1246
	132"	305	362	414	466	519	572	625	677	729	792	845	949	1204	1319
144"	321	379	437	494	549	606	662	719	774	840	897	1010	1270	1394	

Group 6		Ambient Renew 1% (118")			Balmoral Light Filtering* (118")					(Fabric Width)					
Width to:		25"	31"	37"	43"	49"	55"	61"	67"	73"	79"	85"	97"	108"	120"
Length to:	36"	187	214	239	263	288	313	337	363	387	420	444	494	693	751
	42"	195	224	250	278	304	331	357	384	412	446	474	526	729	793
	48"	203	235	264	292	322	350	378	407	437	474	502	561	766	834
	54"	213	245	277	307	338	369	399	430	461	501	531	593	803	875
	60"	220	256	289	322	354	388	420	453	486	527	561	626	840	916
	66"	228	267	302	337	371	406	441	476	511	554	590	659	877	957
	72"	238	277	314	351	389	424	462	499	537	581	618	693	914	998
	78"	246	288	327	366	405	444	482	522	562	609	648	725	950	1038
	84"	255	299	340	380	421	463	503	545	586	636	676	759	988	1080
	90"	263	308	352	395	439	481	524	568	611	662	705	792	1024	1120
	96"	271	320	365	411	455	500	545	591	636	690	735	825	1062	1162
	108"	289	341	390	439	488	538	587	636	685	743	792	891	1135	1243
	120"	305	363	416	468	522	575	628	681	736	797	850	958	1209	1325
	132"	323	383	441	498	555	613	671	727	786	851	909	1023	1283	1407
144"	341	405	466	527	589	650	713	773	835	904	966	1090	1357	1489	

Any product to the right or below dark line will manufacture with heavy duty clutch and tube. Any product in gray shaded area will require seam (not all fabrics can be seamed, check with customer service). Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details.

Serenity Roller Shades

Price Charts – Group 7, Group 8 & Group 9

	25"	31"	37"	43"	49"	55"	61"	67"	73"	79"	85"	97"	108"	120"
3" Fascia	83	92	99	106	115	122	131	138	145	154	163	177	191	208
4" Fascia	82	94	102	113	121	133	143	151	163	172	181	202	221	240
4" Fabric Wrapped Fascia – Skyline only	102	117	126	141	151	166	178	189	202	216	226	251	273	300
CD100 or CD110-(No Fabric Wrap)	86	102	118	135	151	167	182	200	216	232	248	282	316	n/a
CD120 or CD110-(Fabric Wrap)	91	109	126	144	163	179	199	216	234	250	270	306	330	n/a
5" Fascia Dual Shade	154	166	177	188	200	210	222	232	245	256	267	290	n/a	n/a
Cordless	92	92	92	105	105	105	121	121	121	121	121	n/a	n/a	n/a
External Bottomrail	23	26	30	34	40	44	48	52	57	64	67	75	82	92

Group 7		E Screen 3% (122") Mesa Blackout (118")		Jersey Blackout (118") Sanctuary Blackout (118")		M Screen 3% (122")						(Fabric Width)			
Width to:		25"	31"	37"	43"	49"	55"	61"	67"	73"	79"	85"	97"	108"	120"
Length to:	36"	193	221	247	274	300	326	352	378	405	440	466	518	720	782
	42"	201	233	262	290	319	347	375	403	432	469	498	554	760	826
	48"	212	245	276	306	337	368	398	429	460	499	529	591	800	871
	54"	220	256	289	322	354	388	420	454	487	528	562	627	840	916
	60"	230	268	303	338	373	408	443	478	515	559	593	663	880	961
	66"	239	279	316	354	392	429	466	503	541	588	625	699	921	1006
	72"	248	291	330	370	410	450	489	528	568	616	656	736	962	1050
	78"	257	302	345	387	428	469	512	553	595	646	688	771	1002	1095
	84"	267	314	357	402	446	490	535	578	622	675	720	808	1043	1140
	90"	277	326	372	418	465	511	556	604	650	704	751	844	1082	1185
	96"	286	337	387	435	482	531	580	629	677	735	784	880	1122	1230
	108"	304	359	414	466	520	572	626	678	731	793	847	953	1204	1319
	120"	323	384	441	499	555	614	672	728	787	852	911	1025	1285	1409
	132"	342	407	468	530	593	654	717	779	841	912	974	1097	1364	1499
144"	359	430	497	563	629	696	763	829	895	970	1037	1169	1445	1589	

Group 8		Balmoral Blackout* (118") M Screen 1% (122")		E Screen 1% (122") T Screen 3% (122")		E Screen Deco 3% (122") <small>*10% surcharge on Balmoral Patterns Armor, Chrome & Platinum</small>						(Fabric Width)			
Width to:		25"	31"	37"	43"	49"	55"	61"	67"	73"	79"	85"	97"	108"	120"
Length to:	36"	197	227	255	283	311	338	366	394	421	457	485	540	742	808
	42"	208	241	270	301	330	359	391	420	451	489	519	578	786	855
	48"	218	253	286	319	350	383	415	447	480	521	553	618	829	904
	54"	227	266	301	334	370	405	440	475	510	553	588	658	873	953
	60"	238	278	315	352	390	428	465	502	540	586	622	697	917	1001
	66"	248	291	330	370	411	450	489	529	569	617	656	737	961	1050
	72"	258	303	346	388	430	472	515	555	598	649	692	775	1004	1098
	78"	268	316	359	405	450	495	539	584	628	681	725	815	1048	1147
	84"	278	328	375	422	469	517	564	611	658	714	761	854	1092	1196
	90"	289	342	391	440	489	539	589	638	687	745	794	894	1136	1245
	96"	299	353	405	457	508	562	613	665	717	777	829	934	1180	1293
	108"	319	378	436	493	549	606	662	719	775	841	898	1012	1267	1391
	120"	340	403	465	527	589	650	713	773	835	904	967	1090	1355	1488
	132"	358	429	496	562	628	695	762	828	894	969	1036	1168	1442	1585
144"	379	454	525	596	669	740	811	882	953	1033	1106	1247	1530	1683	

Group 9		E Screen .5% (122") S Screen 1 & 4% (118")		E Screen Deco 1% (122") T Screen 1% (122")		(Fabric Width)									
Width to:		25"	31"	37"	43"	49"	55"	61"	67"	73"	79"	85"	97"	108"	120"
Length to:	36"	205	239	268	298	328	357	388	418	447	486	516	575	780	849
	42"	217	253	286	318	350	383	416	447	480	522	553	619	829	903
	48"	228	267	302	337	372	408	443	478	513	556	593	663	877	959
	54"	240	281	319	356	395	432	471	508	547	593	631	706	926	1012
	60"	250	294	336	376	417	457	499	540	580	629	670	751	976	1067
	66"	263	308	352	396	439	482	526	570	613	665	708	795	1025	1121
	72"	274	323	369	416	462	507	553	599	647	701	747	839	1074	1176
	78"	286	337	387	435	483	532	582	630	679	737	786	883	1122	1231
	84"	297	351	402	454	505	559	610	661	713	772	824	927	1172	1286
	90"	307	366	419	474	528	582	637	692	746	809	863	971	1221	1339
	96"	320	379	437	494	550	607	664	722	779	845	901	1015	1270	1394
	108"	342	407	469	532	595	658	720	783	845	916	978	1103	1369	1504
	120"	365	436	503	571	639	708	775	844	912	988	1056	1191	1466	1612
	132"	388	464	538	611	684	758	830	904	978	1059	1134	1281	1565	1721
144"	411	491	571	650	728	808	887	965	1044	1132	1210	1368	1663	1831	

Any product to the right or below dark line will manufacture with heavy duty clutch and tube. Any product in gray shaded area will require seam (not all fabrics can be seamed, check with customer service). Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details.

Price Charts – Group 10, Group 11 & Group 12

	25"	31"	37"	43"	49"	55"	61"	67"	73"	79"	85"	97"	108"	120"
3" Fascia	83	92	99	106	115	122	131	138	145	154	163	177	191	208
4" Fascia	82	94	102	113	121	133	143	151	163	172	181	202	221	240
4" Fabric Wrapped Fascia – Skyline only	102	117	126	141	151	166	178	189	202	216	226	251	273	300
CD100 or CD110-(No Fabric Wrap)	86	102	118	135	151	167	182	200	216	232	248	282	316	n/a
CD120 or CD110-(Fabric Wrap)	91	109	126	144	163	179	199	216	234	250	270	306	330	n/a
5" Fascia Dual Shade	154	166	177	188	200	210	222	232	245	256	267	290	n/a	n/a
Cordless	92	92	92	105	105	105	121	121	121	121	121	n/a	n/a	n/a
External Bottomrail	23	26	30	34	40	44	48	52	57	64	67	75	82	92

Group 10		E Screen Koolblack 5% (122")											T Screen Koolblack 1% & 3% (122")				(Fabric Width)			
		Width to:		25"	31"	37"	43"	49"	55"	61"	67"	73"	79"	85"	97"	108"	120"			
Length to:	36"	232	271	308	345	381	418	455	491	528	573	611	684	896	979					
	42"	247	290	330	371	412	452	491	531	572	621	661	742	962	1051					
	48"	263	308	352	397	441	485	528	572	616	669	713	800	1026	1123					
	54"	277	327	375	422	471	518	566	613	660	716	764	859	1092	1196					
	60"	292	346	397	449	500	550	602	653	704	764	815	917	1157	1268					
	66"	307	365	419	475	529	585	639	694	748	811	866	975	1221	1340					
	72"	323	383	442	500	559	617	675	735	792	859	917	1034	1287	1413					
	78"	337	401	464	526	588	650	713	773	836	905	968	1092	1351	1485					
	84"	352	421	486	551	617	683	748	814	879	954	1019	1150	1417	1557					
	90"	368	440	508	577	647	717	786	854	923	1001	1070	1209	1482	1629					
	96"	381	458	530	604	676	749	822	895	967	1048	1121	1267	1546	1702					
	108"	413	496	575	655	736	815	895	976	1056	1143	1223	1384	1677	1845					
	120"	442	532	620	706	794	882	968	1056	1143	1239	1326	1500	1807	1990					
	132"	473	570	664	760	853	947	1043	1137	1231	1334	1428	1617	1937	2135					
144"	502	607	709	811	913	1014	1116	1218	1319	1429	1531	1734	2065	2279						

Group 11		E Screen Koolblack 1% & 3% (122")											(Fabric Width)				
		Width to:		25"	31"	37"	43"	49"	55"	61"	67"	73"	79"	85"	97"	108"	120"
Length to:	36"	256	301	344	387	429	472	515	556	599	650	693	778	1001	1095		
	42"	275	324	371	418	465	512	560	605	652	708	755	848	1078	1183		
	48"	292	347	397	449	500	551	603	654	705	765	816	919	1158	1269		
	54"	311	369	424	480	537	592	647	702	759	822	877	989	1237	1357		
	60"	328	392	452	511	571	631	692	751	812	879	940	1059	1314	1443		
	66"	347	414	478	543	607	671	736	800	865	937	1001	1131	1393	1531		
	72"	365	437	505	573	642	712	780	848	917	994	1063	1200	1470	1617		
	78"	383	458	531	605	678	750	824	897	970	1051	1124	1270	1549	1705		
	84"	401	481	560	636	714	791	869	945	1023	1109	1186	1340	1628	1792		
	90"	419	503	586	668	749	830	913	994	1075	1166	1247	1412	1706	1879		
	96"	438	526	613	698	785	871	957	1043	1130	1223	1310	1482	1785	1966		
	108"	474	571	666	761	855	950	1045	1140	1235	1338	1432	1622	1941	2140		
	120"	510	616	720	823	926	1031	1134	1238	1340	1452	1556	1763	2098	2314		
	132"	546	661	773	885	998	1110	1222	1335	1446	1567	1680	1904	2254	2488		
144"	582	705	827	947	1069	1189	1311	1431	1553	1682	1802	2043	2410	2662			

Any product to the right or below dark line will manufacture with heavy duty clutch & tube. Any product in gray shaded area will require seam (not all fabrics can be seamed, check with customer service). Any orders with a product over 90" width will have an additional oversized fee. See full shipping policy for details.

Automate Motorization

AUTOMATE | ARCTM (Automate Radio Communication) motors offer a wire free or wired motorization option that is an easy to use and program solution to suit a large range of applications, with varying torques and speed levels. Features include:

- Automate motorization available in rechargeable Li-ion battery, DC wired and AC wired options
- Simple limit setting and adjustment
- 3 operational speed settings available
- Favorite position
- 2-way RF communication
- 5-year motor warranty



Lithium-Ion Battery Motorization

AUTOMATE | Li-ion ARC motors offer a wire free, rechargeable, easy to use and program solution. Automate motors feature a charge-management circuit that adjusts the amount of electrical current feeding the battery. As a battery reaches its maximum charge, the circuit will limit the current eventually shutting off power once the battery is fully charged.

- Rechargeable built-in Li-ion battery with up to 500 up and down cycles per charge. These numbers are impacted by shade size and fabric, but on average size shades are able to last about a year and half under normal operation (one cycle per day).
- Minimum Widths:
 - LI-ION 1.1nm 21.5"
 - LI-ION 2.0nm 30"
 - LI-ION 3.0nm 34"
- Maximum sizes. Please note sizes listed are based on average and can vary based on fabric:
 - LI-ION 1.1nm 84" x 84"
 - LI-ION 2.0nm 108" x 120"
 - LI-ION 3.0nm 118" x 144"

Automate ARC Li-ion Motors:

• LI-ION 1.1nm DCQRF	\$391	Retail
• LI-ION 2.0nm DCQRF	\$508	Retail
• LI-ION 3.0nm DCQRF	\$804	Retail
• 12v Standard Wall Charger	\$81	Retail
• 5v Magnetic Charger (expect longer charge time of 9-12 hours)	\$81	Retail
• 8" Charger Cable Extender	\$16	Retail
• 48" Charger Cable Extender	\$34	Retail
• Battery Tube Only (DCRF Motors Only) requires 8 AA batteries – lithium recommended	\$107	Retail
• 8 Lithium Batteries for Battery Tube	\$103	Retail
• Solar Panel	\$281	Retail

DC Low Voltage Motorization

Automate DC motors offer a wired option power option for both residential and light commercial projects. Connected using low voltage cables this motor also allows a lower installation cost since a certified electrician is not required for set-up.

- Minimum Widths:
 - LI-ION 1.1nm 21.5"
 - LI-ION 2.0nm 30"
- Maximum sizes. Please note sizes listed are based on average and can vary based on fabric:
 - LI-ION 1.1nm 84" x 84"
 - LI-ION 2.0nm 108" x 120"

Automate DC Motors:

• LI-ION 1.1nm DCQRF	\$391	Retail
• LI-ION 2.0nm DCQRF	\$508	Retail
• 12v DC Plugin Power Supply (single DC motor)	\$86	Retail
• 12v DC Power Panel (up to 18 DC motors)	\$701	Retail
• 12v DC Connection Harness	\$13	Retail

AC Line Voltage Motorization

Automate AC motors are a wired power option for large windows and larger commercial applications.

- Minimum width: 34"
- Maximum size based on average and can vary based on fabric: 120" x 144"

Automate ARC AC Motors:

• ACRF	\$835	Retail
--------	-------	--------

Automate Wireless Controls

Compatible with all ARC motors above. Remotes and switches feature a contemporary design with touch sensitive controls.

- Controls include 3 remote styles and 3 cut in wall switches
- Optional Automate Pulse Hub with Wi-Fi built in can be used control shades with most smart devices and some home automation systems. A local wireless network will be required.

Automate Remote Control:

• Push 5 Remote – Available in White or Black	\$201	Retail
• Push 15 Remote – Available in White or Black	\$231	Retail
• Push Pro Remote (30 Channels) – Available in White or Black	\$485	Retail
• Push Pro Charging Cable	10	Retail
• 1 Channel Remote	\$198	Retail
• 1 Channel Cut in Wall Switch	\$153	Retail
• 2 Channel Cut in Wall Switch	\$211	Retail
• 15 Channel Cut in Wall Switch	\$196	Retail
• Automate Pulse Hub 2	\$644	Retail
• Automate Interior Sun Sensor	\$99	Retail

Basics Motorization

BASICS AUTOMATE | ARC™ (Automate Radio Communication) motors offer an entry level, wire free rechargeable option for simple motorization needs.



Features and Notes:

- Only available in a 1.1 NM motor
- Can only be operated using the 5 Channel BASICS Remote
- Does not integrate with the Pulse 2 Hub
- Simple limit setting and adjustment
- 2-way RF communication
- 3-year motor warranty

BASICS Lithium-Ion Battery Wire Free Motorization

BASICS AUTOMATE | Li-ion ARC motors offer a wire free, rechargeable, easy to use and program solution. Automate motors feature a charge-management circuit that adjusts the amount of electrical current feeding the battery. As a battery reaches its maximum charge, the circuit will limit the current eventually shutting off power once the battery is fully charged.

- Rechargeable built-in Li-ion battery with up to 500 up and down cycles per charge. These numbers are impacted by shade size and fabric weight, but on average our motors in prevalent size shades are able to last about a year and half under normal operation (one cycle per day).
- Minimum Widths: Basics LI-ION 1.1nm 21"
- Maximum sizes. 84" x 84" Please note sizes listed are based on average and can vary based on fabric:

BASICS Automate Li-ion Options:

• BASICS Automate LI-ION 1.1nm	\$199	Retail
• Wall Charger	\$85	Retail
• 5 Channel Remote	\$48	Retail
• Solar Panel	\$321	Retail

Warranty

CACO, Inc. will extend a limited lifetime warranty on Serenity Roller Shade clutches not to exceed 25 years, 3 years on chain for roller shade operation, a limited lifetime warranty on interior use Textstyle fabrics not to exceed 25 years, a limited 10 year warranty on interior use Mermet Fabrics, a limited 5 year warranty on interior use vinyl fabrics and BASICS Automate motors provide a limited 3 year warranty, Rollease Acmeda Automate motors provide a limited 5 year warranty on battery motors and a limited 7 year warranty on direct wired motors. Each shade is warranted to be free from defects in materials and workmanship to the original owner, provided that the shades were properly installed in a window, door or other interior area for which they intended, maintained and cleaned with the manufacturer recommendations.

Damage resulting from misuse, abuse, exposure to the elements, including but not limited to exposure to salty air, discoloration due to sunlight or passage of time, exposure to humidity, accidents, the use of steam, bleach, or any caustic abrasive, or solvent based cleaners, improper installation, alterations or normal wear and tear upon the shades are not covered by this warranty. Some fading or reduction in color intensity may occur and should not be deemed defective. Returns for the above-mentioned reasons are not warranted.

The obligation of CACO's manufactured products and its distributors is limited to repair or replacement of the shades or components found to be defective, at our option, provided the shades are returned to an authorized CACO dealer or distributor and accompanied by "proof of purchase CACO is not responsible for any shipping or labor costs associated for measuring, removing and re-installing blind from installed windows or fabricating alterations.

This warranty is exclusive and in lieu of all other obligations, liabilities, or warranties. In no event shall CACO be liable or responsible for incidental or consequential damages, or for any other direct or indirect damage, loss, cost, expense, or fee. Some states do not allow the exclusion or limitations of incidental or consequential damages, so this limitation may not apply to you. This warranty gives you specific rights, and you may also have other rights, which vary from state to state.